

WHAT IS CLAIMED IS

5

1. A liquid crystal display comprising:
a display part displaying an image in
accordance with image display data supplied through
data signal lines; and

10

a driving part driving said data signal
lines by using a plurality of driving devices
together for each data signal line.

15

2. The liquid crystal display as claimed
in claim 1, wherein said plurality of driving
devices are disposed on the same side of the data
signal line.

20

25

3. The liquid crystal display as claimed
in claim 1, wherein the number of the driving
devices used for driving each data signal line is
controlled in accordance with a particular type of
said display part.

30

35

4. The liquid crystal display as claimed
in claim 1, further comprising a wiring part
provided on a substrate on which said display part
is formed,

said driving devices being connected to
said signal data line in said wiring part.

5

5. A liquid crystal display comprising:
a display part displaying an image in
accordance with image display data supplied through
10 data signal lines; and
a driving part driving said data signal
lines by supplying a plurality of sets of same image
display data to each data signal line simultaneously.

15

6. The liquid crystal display as claimed
in claim 5, wherein said driving part supplies, to
20 each data signal line, respective image display data.

25

7. A liquid crystal display comprising:
a peripheral circuit supplying image
display data to a display part according to a given
first control signal;
a driving part supplying the first control
30 signal and the image display data to said peripheral
circuit;
a level converting part built in said
driving part, and performing level conversion of a
given second control signal so as to generate the
35 first control signal.

8. The liquid crystal display as claimed in claim 7, wherein said display part and said peripheral circuit are formed integrally on a same substrate.

5

9. The liquid crystal display as claimed in claim 7, further comprising a dividing control signal generating part built in said driving part, and generating the second control signal performing control of said display part in a dividing manner in accordance with a signal supplied from the outside of said driving part.

10. The liquid crystal display as claimed in claim 9, further comprising a selecting part built in said driving part and selectively supplying the second control signal generated by said dividing control signal generating part to said level converting part.

11. The liquid crystal display as claimed in claim 7, wherein said level converting part generates the first control signal in accordance with a voltage supplied to said driving part.

35

12. The liquid crystal display as claimed
in claim 7, wherein said level converting part
generates the first control signal in accordance
with a voltage supplied from the outside of said
5 liquid crystal display.